

**Sources covered by the 2012 New Source Performance Standards (NSPS) for VOCs and the 2016 NSPS for Methane and VOCs, by site**

Location and Equipment/Process Covered	Required to Reduce Emissions Under EPA Rules	Rules that Apply		
		2012 NSPS for VOCs*	2016 NSPS for methane	2016 NSPS for VOCs
<b>Natural Gas Well Sites</b>				
Completions of hydraulically fractured wells	✓	•	•	
Compressors				
Equipment leaks	✓		•	•
Pneumatic controllers	✓	•	•	
Pneumatic pumps	✓		•	•
Storage tanks	✓	•		
<b>Oil Well Sites</b>				
Completions of hydraulically fractured wells	✓		•	•
Compressors				
Equipment leaks	✓		•	•
Pneumatic controllers	✓	•	•	
Pneumatic pumps	✓		•	•
Storage tanks	✓	•		
<b>Production Gathering and Boosting Stations</b>				
Compressors	✓	•	•	
Equipment leaks	✓		•	•
Pneumatic controllers	✓	•	•	
Pneumatic pumps				
Storage tanks	✓	•		
<b>Natural Gas Processing Plants*</b>				
Compressors	✓	•	•	
Equipment leaks	✓	•	•	
Pneumatic controllers	✓	•	•	
Pneumatic pumps	✓		•	•
Storage tanks	✓	•		
<b>Natural Gas Compressor Stations (Transmission &amp; Storage)</b>				
Compressors	✓		•	•
Equipment leaks	✓		•	•
Pneumatic controllers	✓		•	•
Pneumatic pumps				
Storage tanks	✓	•		

\* Note: Types of sources already subject to the 2012 NSPS requirements for VOC reductions that also are covered by the 2016 methane requirements will not have to install additional controls, because the controls to reduce VOCs reduce both pollutants

